

**Table 1 - Toxicity Results (2020 January to March)**

WNSL-W1-2310.02/2022 Phase 1 Release Limits for Liquid Effluent		Monthly Results from Sample Analysis		
Parameter	Monthly Average Limits	2020 January	2020 February	2020 March
Toxicity Testing	Effluent cannot be toxic	PASS	PASS	PASS

**Table 2 - Effluent Results (2020 January to March)**

Parameter	Units	Action Levels	Maximum Weekly Results			Monthly Averages		
			January	February	March	January	February	March
Radium-226	Bq/L	0.05	0.01	0.005	0.005	0.0065	0.005	0.005
pH	--	6.5 to 8.5	8.0	7.8	7.98	7.72	7.82	7.90
Total Suspended	mg/L	7.5	1	1	1	1	1	1
Total Aluminum	µg/L	100	5	5	9.1	1.0	2.5	5
Total Arsenic	µg/L	41	0.7	1	1	0.3	0.2	1
Total Boron	µg/L	175	36	43	30	28	27	28
Total Copper	µg/L	5	1.3	1.9	1.6	0.85	1.5	1.3
Total Lead	µg/L	5	0.1	0.5	0.5	0.06	0.18	0.5
Total Uranium	µg/L	100	1.67	1.59	1.7	0.544	0.749	0.91
Total Zinc	µg/L	15	10	5	5	3	2	5