



2023 August 18

**Table 1 – Effluent Results (2023 April to June)**

Parameter	Units	Action Level (Weekly Concentration Composite Sample)	Release Limit (Weekly Concentration Composite Sample)	Release Limit (Monthly Mean Concentration Composite Sample)	Maximum Weekly Concentration Composite Sample			Monthly Mean Concentration Composite Sample		
					April	May	June	April	May	June
Acute Toxicity	-	-	-	Cannot be toxic	-	-	No discharge 2023 June	PASS	PASS	No discharge 2023 June
Radium-226 (Ra)	Bq/L	0.05	0.74	0.37	<0.005	<0.005		<0.005	<0.005	
Total Aluminum (Al)	µg/L	100	220	110	<1	1		<1	<1	
Total Arsenic (As)	µg/L	41	300	150	0.9	7.2		0.73	4	
Total Cadmium (Cd)	µg/L	0.14	0.34	0.17	0.003	0.003		<0.003	<0.003	
Total Cobalt (Co)	µg/L	52	210	105	0.52	0.92		0.46	0.82	
Total Copper (Cu)	µg/L	5	30	15	0.7	21.8		0.43	7.4	
Total Lead (Pb)	µg/L	5	46	23	0.11	0.08		0.09	0.04	
Total Uranium (U)	µg/L	100	300	150	0.358	0.496		0.309	0.375	
Total Vanadium (V)	µg/L	2.2	8.8	4.4	0.05	0.04		0.02	0.02	
Total Zinc (Zn)	µg/L	15	420	210	<1	25		<1	<8.4	
Total Phosphorus (P)	mg/L	0.25	1	0.5	0.006	0.006		0.005	<0.004	
pH	--	6.5 to 8.5	6.0 – 9.0	6.0 – 9.0	7.52	7.74	7.30	7.46		
Total Suspended Solids	mg/L	7.5	30	15	<1	1	<1	<1		

**Notes:**

“<” denotes some or all results were below the minimum detection limit

Action levels and release limits for liquid effluent are defined in:

- CNL, *Port Hope Project Environmental and Biophysical Monitoring Plan, 4501-509247-PLA-001*, Revision 4, 2018 October 24.
- CNSC, *Record of Decision In the Matter Of Canadian Nuclear Laboratories Ltd. Application to Renew the Waste Nuclear Substance Licence for the Port Hope Project as a Single Licence for the Port Hope Area Initiative*, DEC 22-H13, 2023 April 20.
- Letter, R. Buhr (CNSC) to S. Morris (CNL), *CNSC Staff’s Review of CNL’s Assessment of Action Levels and Release Limits for the Port Hope Waste Water Treatment Plant*, 4501-NOCN-23-0020-L, 2023 May 19.